

2/12




FIG. 3

3/12 MIGRATION DESTINATION SHARED FILE SYSTEM /mnt2 /mnt1 NOT COPIED USE FREQUENCY 250: HIGH 10: LOW 1 ACCESSING MIGRATION SOURCE BEING COPIED NOT COPIES STATUS COPIED FILE NAME FILE 122 **FILE 121** FILE 12 門后社 MIGRATION DESTINATION MOUNT POINT OF MIGRATION SOURCE /mnt2src /mnt1src MIGRATION SOURCE SHARED FILE SYSTEM /mnt 2 /mnt1 MIGRATION SOURCE HOST NAME FS1SRC

CHANGED INFORMATION ACCOMPANYING DATA MIGRATION OF MIGRATION SOURCE DATA MIGRATION USER ACCOUNT admin 192, 168, 100, 200 255, 255, 255, 0 CHANGED IP ADDRESS, CHANGED SUBNET MASK CHANGED HOST NAME FS1SRC MIGRATION SOURCE SHARED FILE SYSTEM /mnt1 /mnt2 SETTING INFORMATION OF MIGRATION SOURCE PRIOR TO MIGRATION ADMINISTRATOR USER ACCOUNT admin 192. 168. 100. 100 255. 255. 255. 0 IP ADDRESS, SUBNET MASK HOST NAME FS1

FIG. 4A

FIG. 4B

TEMPORARY HOST NAME	TEMPORARY IP ADDRESS	TEMPORARY IP ADDRESS TEMPORARY SUBNET MASK
FS1target	192. 168. 100. 10	255, 255, 255, 0

5/12

FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11





11/12

FIG. 12




FIG. 13

